Machine configuration: 50204447

machine no. machine no.	Key 50204447 50204447	Description 50204447 50204447
Motor	Unit type	Serial number 473.914-C-1011849
Equipment		
SH_B10_0020	Trailer hitch, automatic	
SH_D02_0380	V-FLEX 36 chopper unit	
SH_D03_0015	Grass chute back panel, tilted in, PREMIUM LINE, retro fit pack	
SH_D06_0090	Crop flow XL PREMIUM LINE professional	
SH_D08_0050	Shear bar adjustment, automatic – Premium	
SH_D10_0070	Hydraulic precompression	
SH_D14_0120	Front attachment drive variable speed, prepared for DIRECT DISC	
SH_D16_0044	Universal PREMIUM LINE shear bar, carbide	
SH_D18_0160		R CLASSIC L, 125/125 teeth, hard-chrome
SH_D20_0020	Corncracker gap setting, electrohydraulic	
SH_D22_0060	Corncracker drive L, hydraulic belt tensioning	
SH_D24_0010	Silage additive system with tank (375 I)	
SH_D26_0010	Water injection at guide plate and upper discharge chute	
SH_E02_0082	Accelerator gap adjustment, electrohydraulic	
SH_E08_0020	Upper disch. chute light. LED, pivot. action syn. with chute flap	
SH_E10_0050	Upper discharge chute extension L, PREMIUM LINE	
SH_E12_0060	Rotation ring, upper discharge chute XL, PREMIUM LINE	
SH_N02_0341	Drive axle (10-hole)	
SH_N04_0140	Drive axle tyres 800/70 R32 175 A8	
SH_N08_0386	Steering drive axle 4WD (10-hole)	
SH_N10_0171	Steering axle tyres 600/65 R28 IMP 168/156 A8	
SH_N12_0040	Ground speed 40 km/h	
SH_N22_0015	Tyre pressure control system for drive axle	
SH_P02_1685	MB S6-cyl. OM 473 LA, 480 kW/653 hp, ECE R 120	
SH_P03_0070	CEMOS AUTO PERFORMANCE	
SH_P03_0102	Auxiliary fuel tank, 400 litres	
SH_P06_0000	Without hydraulic oil water	
SH P16 0063	Constant fan drive	·
SH_Q02_0090	Comfort cab w. A/C MAT	TC – automatic climate control and heating
SH_Q03_0065		n for side and rear windows
SH_Q03_0085	Sun blinds for side and re	
SH_Q03_0111	Cooling unit for storage b	
SH_Q03_0200	Gooseneck microphone for hands-free facility	
SH_Q03_0220	Radio, digital (DAB+)	
SH_Q03_0350	Mobile phone holder with wireless charging	
SH_Q03_0450	Compressed air connection in the cab	
SH_Q06_0160	CEBIS terminal with armrest, standard	
SH_Q07_0356	Camera system, prepared	
- ~-	Rear camera with CEBIS display	

Equipment		
SH Q07 0390	PROFI CAM	
SH_Q07_0392	Monitor for PROFI CAM / AUTO FILL	
SH_Q07_0405	Preparation for terminal	
SH_Q07_0430	CEMIS 1200 terminal	
SH_Q09_0010	QUANTIMETER yield measurement	
SH_Q09_0126	TC-GEO activation – CEMIS 1200 terminal	
SH_Q09_0160	Basic setting - start chopping/chopping mode	
SH_Q10_0045	Premium seat Actimo Evolution, air-suspended	
SH_Q12_0060	Work lighting, LED – Premium	
SH_Q13_0306	Prepared for GPS PILOT	
SH_Q13_0390	SAT 900 GNSS receiver - RTK NET activation	
SH_Q13_0395	Data volume for use of RTK NET – 5 years	
SH_Q13_0415	GPS PILOT activation – SAT 900 GNSS receiver	
SH_Q14_0030	Storage box L incl. instructor's seat	
SH Q15 0060	CEMOS AUTO CROP FLOW	
SH_Q16_0020	CMOTION multifunction control lever	
SH_Q17_0010	Interface module	
SH_Q17_0110	Steering angle sensor	
SH_Q17_0119	CLAAS Communication module (LTE)	
SH_Q18_0010	Locking system, standard	
SH_Q20_0020	Rear lights, LED	
SH_Q22_0040	Near infrared sensor (NIR) for PREMIUM LINE	
SH_Q23_0010	Activation of NIR constituent measurement, maize	
SH_Q23_0020	Activation of NIR constituent measurement, grass	
SH_Q23_0030	Activation of NIR constituent measurement, whole crop silage	
SH_Q28_0010	CAN Ethernet Gateway (CEG)	
SH_Q32_0010	GPS PILOT Ready	
SH_Q35_0010	CLAAS connect farm licences (separate order)	
SH_Q36_0050	Machine connect licence – 5 years	
SH_R03_0121	STOP ROCK, stone detector for hydraulic precompression	
SH_R03_0140	CRUISE PILOT forward travel control	
SH_R03_0151	OPTI FILL automatic spout function for spout rotation assy. XL	
SH_R03_0191	AUTO FILL trailer filling system	
SH_R03_0200	Software for AUTO PILOT row sensor maize	
SH_R03_0210	Automatic length of cut adjustment	
SH_R03_0300	Dynamic steering	
SH_R04_0010	Rear-view mirrors, electrically adjustable and heated	
SH_R05_0030	Central lubrication system, automatic	
SH_R05_0036	Central lubrication system, automatic (with rotation ring XL)	
SH_R05_0100	Service and step lightning LED	
SH_R08_0000	Without compressed air brake system	
SH_R10_0010	Roller cover for feeder housing	
SH_R12_0000	Without spool valve	
SH_R14_0010	Compressed air hose and blow gun	
SH_R16_0010	Metal detector	
SH_R18_0000	Knife condition display, standard	
SH_S02_0012	Statutory equipment right-hand side traffic - LED	
SH_S03_0010	2 rotating beacons	
SH_S03_0020	TÜV individual certification	

_		
$-\sim$	HILL	mont
	ull	ment

502/561

Equipment	
SH_S03_0070	TÜV certification for folding front attachments
SH_S03_0082	Overwidth LED, retro fit pack
SH_S03_0145	Number plate lights
SH_S03_0154	Highly reflective warning panel, front
SH_S03_0156	Highly reflective red-white warning sticker, rear
SH_S03_0160	Wheel chocks, 2 pieces
SH_S03_0170	Close-proximity mirror
SH_S03_0180	Safety labelling, standard
SH_S04_0060	Tool kit – Plus
SH_S06_0010	Documentation
SH_S07_0015	Fire extinguisher
SH_S09_0180	Base weight 510 kg, fitted
SH_S09_0211	Additional weight, 1 plate, 170 kg, fitted
SH_T02_0020	Shipping method - truck
SH_T04_0010	Hydraulic oil, standard
SH_Z02_0341	Check group ORBIS 750 TS - 11.5 t
SH_Z03_0100	Check group DIRECT DISC
SH_Z03_0180	Check group PICK UP

JAGUAR 960 E5